

**NOTICE
TO RECEIVE SEALED BIDS
BID NO. 1112-13**

The Gulf County Board of County Commissioners will receive bids from any person, company or corporation interested in providing the following:

- (A) Sale of three (3) 2007 Mack Dump Trucks Model CTP713B
- (B) Sale of one (1) 1991 Caterpillar Bulldozer Model D4HLGP

Proposals must be turned in to the Gulf County Clerk's Office at 1000 Cecil G. Costin, Sr., Blvd, Room 148, Port St. Joe, Florida, 32456, by 4:30 p.m., E.T., on Thursday, April 5, 2012. Interested parties should contact Public Works Director Bobby Knee for additional information at (850) 227-1401. Equipment may be viewed by appointment only Monday-Thursday 7:30 a.m. – 5:00 p.m., E.T. by calling (850) 227-1401.

Please indicate on the envelope **YOUR COMPANY NAME OR YOUR NAME**, that this is a **SEALED BID** and include the **BID NUMBER**. Bids will be opened at the above location on Monday, April 9, 2012 at 10:00 a.m., E.T.

Attest:	BOARD OF COUNTY COMMISSIONERS
/s/ Rebecca L. Norris, Clerk	GULF COUNTY, FLORIDA
	/s/ William C. Williams, III, Chairman

Advertise: 2t, March 29 & April 5, 2012
Legal Ad
Invoice: Gulf County Board of County Commissioners
Ad# 2012-17



All About Florida

MEMORANDUM

TO: The Honorable Bill Williams
Chair, Gulf County
FROM: Christopher L. Holley, Executive Director
DATE: March 1, 2012
RE: FAC Scholarship Program

[Handwritten signature]

DOUG SMITH

BILL WILLIAMS

BRYAN DESLOGE

KEN WELCH

ILENE LIEBERMAN

CHRISTOPHER L. HOLLEY

I am privileged to announce that we are now accepting applications for the Florida Association of Counties (FAC) President's Scholarship. This scholarship is awarded each year to an outstanding graduating senior(s) from the incoming FAC President's home county. The student(s) must be the son or daughter (natural or step) of a Board of County Commission employee (not from school board, sheriff department, etc.), must be accepted at a Florida university, have good academic standing and be interested in public service.

Since you are our incoming FAC President, this year's scholarship recipient will be from Gulf County. We need your help in publicizing this opportunity to Gulf County Board of County Commission employees. I am enclosing the selection criteria and application forms which you may reproduce for distribution. Please note the deadline for applications is May 7, 2012.

The scholarship will be announced during the Officer's Installation Luncheon Thursday, June 21st at FAC's Annual Conference at the Orlando Marriott World Center in Orange County. The scholarship will be for a minimum of \$1,500.00. A check presentation will be made at a future Gulf County Board of County Commission meeting.

If you have any questions concerning this matter, please contact Stephanie Smith at (850) 922-4300 or ssmith@fl-counties.com.

cc: Donald Butler, County Administrator

FILED THIS RECORD
FAC 21 MAR 21 2012
CLERK OF COUNTY COURT
2012 MAR 21 PM 12:19

INFORMATION
DATE: 3-27-12 2 SB



Florida Association of Counties Presidential Scholarship Award Guidelines

Award Objectives:

To provide a scholarship to support post-secondary education to an outstanding high school senior who shows promise of continued academic achievement to prepare for and pursue a career in public service at the local, state or federal levels. Minimum scholarship amount will be: **\$1,500.00**

Eligibility Requirements:

- | |
|--|
| <ul style="list-style-type: none"> • Student must be the son or daughter (natural or step) of a Board of County Commission employee of the home county of the incoming President of the Florida Association of Counties (2012 - Gulf County). This scholarship is for children of Board of County Commission employees ONLY. |
| <ul style="list-style-type: none"> • Applicant must meet residency and citizenship requirements of the U.S.A. |
| <ul style="list-style-type: none"> • Applicant must be a high school senior or recent graduate of a public or private secondary school and have applied and been accepted for enrollment at an accredited institution of higher education in the State of Florida. |
| <ul style="list-style-type: none"> • All completed applications, including letters of recommendation and attachments must be postmarked by: May 7, 2012. |
| <ul style="list-style-type: none"> • Applications must be sent to the following address:
Florida Association of Counties
Presidential Scholarship Awards Committee
100 South Monroe Street
Tallahassee, Florida 32301 |
| <ul style="list-style-type: none"> • Award will be announced at the FAC Annual Conference, June 21, 2012. |

Criteria for Selection:

- | |
|--|
| <ul style="list-style-type: none"> • Student must have demonstrated outstanding academic achievement and show promise of continued academic achievement to be eligible for scholarship award. |
| <ul style="list-style-type: none"> • Student must have been accepted to a College or University in the State of Florida and plan to pursue a career in public service at the local, state or federal level. |
| <ul style="list-style-type: none"> • A completed application form with two letters of recommendation must have been submitted by mail by: May 7, 2012. |
| <ul style="list-style-type: none"> • Academic potential is based upon high school performance, community involvement, letters of recommendation and candidate's essay. |

Section 1-A

Student Name (Last, First, Middle)		Gender <input type="checkbox"/> Male <input type="checkbox"/> Female	
Street Address			
City		State	Zip
Telephone Number	Social Security Number	Date of Birth:	
Father's Name (Last, First, Middle)			
Employed by County: <input type="checkbox"/> Yes <input type="checkbox"/> No		Title:	
Mother's Name (Last, First, Middle)			
Employed by County: <input type="checkbox"/> Yes <input type="checkbox"/> No		Title:	

Section 1-B

High School attended:		High School Graduation Date:	
Grade Point Average: <i>(Please submit certified High School transcript)</i>			
PSAT score:	SAT score:	ACT score:	
Intended Major	Career Goal		
Have you applied for admission?		<input type="checkbox"/> No <input type="checkbox"/> Yes	
Have you applied for financial aid?		<input type="checkbox"/> No <input type="checkbox"/> Yes	
Name of Institution(s) where you have been accepted:			
Discuss <i>briefly</i> why you should be considered for this scholarship.			
Do you plan on working during the school term(s)?		If yes, hours per week?	
Do you have any other scholarships, grants or financial assistance other than loans and family resources to assist you? <input type="checkbox"/> Yes <input type="checkbox"/> No (Please attach list of source and amounts.)			
Do you plan to apply for other financial assistance including student loans? <input type="checkbox"/> Yes <input type="checkbox"/> No			

Section 2

Extracurricular activities. Please list all volunteer/community experience, extracurricular activities, and honors or awards that show leadership and participation in your high school and/or community life. **Attach a separate sheet if necessary.**

Activity, experience, achievement, position of leadership, honors, awards	Check years of participation			
	Fresh	Soph	Jr	Sr

(Attach copies of awards, news clippings, etc.)

Section 3

Personal Essay: 300 words or less

On a separate sheet, write a personal essay describing your personal goals and objectives, your plans and time frame for meeting these goals, and your plans for utilizing your education after you receive your degree. A subjective review of your essay is a significant part of the selection process.

Section 4

Letters of Recommendation

Two letters of recommendation are required. Letters can be from current or former teachers, counselors or clergy describing the leadership qualities and achievements that make the applicant an outstanding candidate for the FAC Presidential Scholarship Award. *(Please give the attached "Letter of Recommendation" form to the individuals who will be providing letters.)*

Section 5

Applicant Statement and Authorization:

I hereby acknowledge that the information contained in this application is true and correct. I understand and agree that the scholarship award is applicable only if I am officially accepted at an accredited college or university and actually register for a sufficient course load to qualify at such institution as a full time student. I also understand that misrepresentation or fraudulent information may be grounds for loss of award funds and repayment. I further agree that in accepting this award, I give the Florida Association of Counties permission to announce my receipt of this award in newspapers, brochures, newsletters and other publications.

Signature:	Date:
------------	-------

**Florida Association of Counties
Presidential Scholarship Award**

Letter of Recommendation

Applicant's name: _____

To the Recommender: This student is applying for a scholarship from the Florida Association of Counties. Please describe his or her strengths, whether in academic achievement, intellectual abilities, leadership or character. Comment on any other characteristics which you feel are important for the selection committee to consider. Please confine your comments to this page only. Thank you for your assistance in this important task. This document must be postmarked no later than: **May 7, 2012.**

Recommender's name: *(please print)* _____

Position or Title: _____ Employer: _____

Signature: _____

Return to: **Florida Association of Counties, 100 South Monroe Street,
Tallahassee, FL 32301 – Attn: Scholarship Awards Committee**

Lynn Lanier

From: epost_nwdwf [epost.nwdwf@dep.state.fl.us]
Sent: Wednesday, March 14, 2012 10:09 AM
To: janderson@psj.fl.gov
Cc: 'Philip Jones, P.E., Preble-Rish, Inc.'; 'Larry G. McClamma, City of Port St. Joe WWTP Manager'; 'Lynn Todd, City of Port St. Joe WWTP'; commissioner4@gulfcountry-fl.gov; bocc@gulfcountry-fl.gov; zachary_hodges@doh.state.fl.us; 'Marilyn Blackwell'; Potts, Elsa; Edwards, Toni; Clanton, Corinna; Penton, Josie; Wilson, Cliff
Subject: Port St. Joe WWTP - Minor Permit Revision to Reduce Reuse
Attachments: Port_St_Joe_WWTP_FL0020206_011_MR-Reduce Reuse.pdf

Dear Sir/Madam:

The Northwest District of the Florida Department of Environmental Protection Water Facilities Program (NWDWF) issues electronic documents, in lieu of hard copies, via our Epost system.

We ask that you please:

- 1) **Respond electronically to this cover page to acknowledge receipt.** Do this by selecting "Reply" on the menu bar of your e-mail software and then select "Send". Please do not delete the subject line. We must receive verification that the document has been received to avoid repeated e-mail attempts to deliver.
- 2) **Open the attached document which may require immediate action on your part within a specified time frame. Please open and review the document(s) as soon as possible.**

(The attached document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep2.html>)

****Note****

When printing the attached document from Adobe Acrobat Reader, select "Document and Comments" from the "Print What:" menu item. If this is not done, the signature and or dates may not appear on the printed document.

Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. These changes or any other requests concerning e-mail management should be made by contacting Ashley Livingston at (850) 595 - 0675 or Rebecca Wilson at (850) 595- 0668.

Thank you,

DEP Electronic Postal System
 Water Facilities
 Northwest District Office
 Department of Environmental Protection
 E-Mail Address: epost_nwdwf@dep.state.fl.us

Please be advised that if you have the Norton Anti-virus software, a warning may appear when you attempt to open our document. This is only a warning. We send our documents virus-free.

RECEIVED FOR DEPT. OF ENVIRONMENTAL PROTECTION
 MAR 21 10:19:49

INFORMATION
 DATE 3/27/12 LL

Please take a few minutes to share your comments on the service you received from the department by clicking on this link Copy the url below to a web browser to complete the DEP survey:
<http://survey.dep.state.fl.us/?refemail=epost.nwdwf@dep.state.fl.us>



Florida Department of Environmental Protection

Northwest District
160 W. Government Street, Suite 308
Pensacola, Florida 32502-5740

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

March 14, 2012

BY ELECTRONIC MAIL
(janderson@psj.fl.gov)

Mr. Jim Anderson
City Manager
City of Port St. Joe
Post Office Box 278
Port St. Joe, Florida 32457

Dear Mr. Anderson:

We received your minor permit revision request (file number FL0020206-011-DW1/MR) on October 12, 2011 for the City of Port St. Joe wastewater treatment plant (WWTP) with additional information received on January 19, February 27 and 29, 2012. This letter is to advise you that your request is hereby approved.

Specifically, this application is for a reduction to the total reuse capacity from 3.23 to 2.95 MGD AADF with initial construction of 1.9 MGD sprayfield. Surface water discharge, D-001 will cease discharge even with only 1.9 MGD reuse capacity being initially constructed.

- R-001 sprayfield capacity is reduced from 2.63 to 2.60 MGD. Initial construction will be 5 zones, 4 through 8, for 1.9 MGD. Future construction of 3 zones, 1 through 3, will add 0.70 MGD.
- R-002 rapid infiltration basin (RIB) reuse permitted capacity will be reduced from 0.60 to 0.35 MGD AADF. Both RIBs 1 & 2 would be future construction.

This minor permit revision contains the following changes:

1. Permit Cover Pages (1R thru 3R) revised to show changes to WWTP mods and to R-001 & R-002.
2. Permit Condition I.B.1 (page 9R) revised to show changes in flow capacity for R-001.
3. Permit Condition I.B.8 (page 11R) revised to show changes in flow capacity for R-002.
4. Permit Condition III.8 (page 17R) revised to delay construction of 5 monitoring wells until their respective land application projects are constructed.
5. Permit Condition IV.3 (page 18R) revised to show active R-001 sprayfield zones, application rates and reuse permitted capacity.
6. Permit Conditions IV.9 (page 19R) revised to show R-002 RIBs, new application rates and reuse permitted capacity.
7. Permit Condition V (page 19R) revised to show reduced staffing requirements when flow is less than 2.0 MGD.
8. Permit Condition VI.2 (page 20R) revised to update Improvement Schedule to match the consent order schedule and to provide for future construction of land application.

Therefore, we have attached revised permit conditions, DMR replacement pages for R-001 to reflect the previously mentioned changes. Please replace the old pages and use the new DMR pages upon use of R-001 sprayfields.

The expiration date and all other terms and conditions of the permit FL0020206 remain in effect. Attach this notice to other documents required to be kept as a part of this permit.

If you have any questions, please contact Jonathan May at 850-595-0609 or by email at jonathan.may@dep.state.fl.us.

Sincerely,



David P. Morres
 Program Administrator

DPM/jm

Enclosures: Revised Permit Cover Pages 1R thru 3R for changes to R-001 & R-002
 Revised Permit Condition I.B.1 (page 9R) for change to flow capacity for R-001
 Revised Permit Condition I.B.8 (page 11R) for change to flow capacity for R-002.
 Revised Permit Condition III.8 (page 17R) for ground water monitoring plan changes.
 Revised Permit Condition IV.3 (page 18R) to show R-001 application rates.
 Revised Permit Condition IV.9 (page 19R) to show R-002 application rates.
 Revised Permit Condition V.1 (page 19R) to show WWTP staffing requirements.
 Revised Permit Condition VI.2 (page 20R) for updated improvement schedule.
 Revised DMR R-001 - 2 pages
 DMR R-002 to be provided after future construction.
 R-001, R-002 & GW Monitoring Well Locations.

c: Philip Jones, P.E., Preble-Rish, Inc. (jonesp@preble-rish.com)
 Larry G. McClamma, City of Port St. Joe WWTP Manager (lmcclamma@psj.fl.gov)
 Lynn Todd, City of Port St. Joe WWTP (ltodd@psj.fl.gov)
 Chair, Gulf County Board of County Commissioners, Nathan Peters, Jr.
 (commissioner4@gulfcounty-fl.gov) (bocc@gulfcounty-fl.gov)
 Gulf County Public Health Department, Environmental Supervisor, Zachary Hodges
 (zachary_hodges@doh.state.fl.us)
 Marilyn Blackwell (marilynblackwel@wmconnect.com)
 Elsa Potts, P.E., FDEP, Tallahassee BWF (elsa.potts@dep.state.fl.us)
 Toni Edwards, Compliance/Enforcement Supervisor, DEP (toni.edwards@dep.state.fl.us)
 DEP NWD Panama City Office



Florida Department of Environmental Protection

Northwest District
160 W. Government Street, Suite 308
Pensacola, Florida 32502-5740

Rick Scott **11**
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

STATE OF FLORIDA DOMESTIC WASTEWATER FACILITY PERMIT

PERMITTEE:

City of Port St. Joe

**PERMIT NUMBER:
PA FILE NUMBER:**

FL0020206 (Major)
FL0020206-001-DW1S/NR
FL0020206-002-DW1P/RA
FL0020206-003-DW1/MR
FL0020206-004-DW1R/RA

RESPONSIBLE AUTHORITY:

Mr. Charlie Weston
City Manager
Post Office Box 278
Port St. Joe, FL 32457

(850) 892-8500

ISSUANCE DATE:

December 5, 2007

REVISION 005 DATE:

February 26, 2008

REVISION 006 DATE:

May 15, 2008

REVISION 007 DATE:

February 25, 2009

REVISION 008 DATE:

July 16, 2010

REVISION 009 DATE:

January 10, 2011

REVISION 010 DATE:

May 18, 2011

REVISION 011 DATE:

March 14, 2012

REVISION 012 DATE:

December 15, 2011

EXPIRATION DATE:

December 4, 2012

FACILITY:

City of Port St. Joe WWTF
0.5 miles E. of Hwy 98 on CR 382
Port St. Joe, FL 32457
Gulf County
Latitude: 29° 50' 30" N Longitude: 85° 10' 15" W

This permit is issued under the provisions of Chapter 403, Florida Statutes, and applicable rules of the Florida Administrative Code and constitutes authorization to discharge to waters of the state under the National Pollutant Discharge Elimination System. This permit is accompanied by a Consent Order pursuant to Paragraphs 403.088(2)(e) and (f), Florida Statutes. The above named permittee is hereby authorized to construct and operate the facilities shown on the application and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

TREATMENT FACILITIES:

Permit Application FL0020206-001-DW1S/NR is for permit renewal for the City of Port St. Joe wastewater treatment facility (WWTF). Permit Application FL0020206-002-DW1P/RA is a substantial modification of the existing City's WWTF. The WWTF is reclassified from an industrial wastewater facility to a domestic wastewater facility. The existing WWTF consists of pretreatment (bar screens and grit chamber) and a 70-acre facultative lagoon. Permit Application FL0020206-002-DW1P/RA is the addition of high-rate filters, effluent disinfection via chlorine contact chambers, a new effluent pump station. The WWTF's capacity will be reduced from 34.75 MGD to 3.1 MGD annual average daily flow (AADF) capacity.

In addition, the permit (application FL0020206-003-DW1/MR) includes upgrade to the master lift station. Specifically, this action authorizes the following construction:

- Influent Screening where the inorganic debris will be removed by a frontloader mechanically cleaned screen prior to grit removal of the raw wastewater. The mechanical bar screen will be sized to hydraulically handle a maximum daily flow of 10.0 MGD. Parallel to the mechanical screen will be an off-line manual bar screen for redundancy.
- Influent Flow Measurement by using a parshall flume. The 12-inch parshall flume will size to handle 54 gpm to 7,240 gpm.

FACILITY: City of Port St. Joe WWTF
PERMITTEE: City of Port St. Joe
Post Office Box 278
Port St. Joe, FL 32457

PERMIT NUMBER: FL0020206
PA PERMIT FILE: FL0020206-001-DW1S/NR
FL0020206-002-DW1P/RA
FL0020206-003-DW1/MR
FL0020206-004-DW1R/RA
FL0020206-011-DW1/MR

Page No.: 2R of 28

- **Grit Removal** will be by Two (2) 10 feet diameter in-situ grit separators designed to remove 95% of 100 micron-size particles at a peak design flow of 6.2 MGD. The grit removal system will be sized to hydraulically handle a total peak flow of 10.0 MGD. Bypass provisions will be provided.
- **Influent pumping** will consist of a single rectangular wet well which will house three (3) non-clog, submersible sewage pumps. The wet well will be sized to meet the design control volume of 17,480 gallons. Each sewage pump will be sized to deliver a flow of 3,472 gpm (5.0 MGD) against a total design head of 45 feet. This allows for a total pumping capacity of 6,944 gpm (10.0 MGD) with the largest pump out of service. The influent pumping station will transport wastewater through a 24-inch PVC force main approximately 2,800 feet to the existing wastewater lagoon at the WWTF.
- The reclaimed water force main across the canal is an 18-inch HDPE directional bore. From the irrigation pump station (just on the south side of the lagoon) to the canal is 18-inch PVC, 18-inch HDPE under the canal, and 18-inch PVC again up to the R-001 (sprayfields) portion of the project.

DISPOSAL:

Surface Water Discharge (LWWD): A 1.25 MGD AADF permitted LWWD at the existing parshall flume to Gulf County Canal to St. Joseph Bay (Class III marine waters) at discharge location (D-001) which is approximately 20 feet in length and discharges at a depth of approximately 20 feet. The point of discharge is located approximately at latitude 29° 50' 10" N, longitude 85° 18' 24" W. The LWWD is flow limited to 1.25 MGD AADF. Upon completion of the land application system in this permit, the LWWD will be prohibited.

REUSE:

This permitting action is a substantial modification of the permitted City of Port St. Joe wastewater treatment facility (WWTF) method of effluent discharge. The total permitted reuse capacity is reduced from 3.23 to 2.95 MGD with only 1.9 MGD constructed now. The land application systems R-001 and R-002 permitted capacities are reduced from 2.63 to 1.9 MGD and 0.60 to 0.35 MGD, respectively. The initial active R-001 application areas will only include Zones 4 thru Zone 8 for 1.9 MGD AADF capacity. R-001 application areas Zone 1 thru 3 and R-002 RIBs No.1 and No. 2 are permitted but will be constructed/activated in the future.

Land Application: The new land application system will consist of a 2.60 MGD AADF permitted capacity slow-rate restricted public access sprayfield irrigation system (R-001). R-001 initially will consists of five (5) zones (Zones 4 thru 8) 1.90 MGD AADF with 97.85 acres. With the future construction of Zones 1 thru 3 the total acreage will be 153.63 acres with a permitted capacity of 2.60 MGD AADF.

Sprayfield Irrigation System (R-001)	Wetted Area (Acres)	Application Rate (acre-inches/week)	Gallon Per Day (MGD)
Zone 4	20.05	5.0	0.389
Zone 5	21.00	5.0	0.407
Zone 6	19.30	5.0	0.374
Zone 7	19.50	5.0	0.378
Zone 8	18.00	5.0	0.349
Subtotal	97.85		1.90

Expanded Sprayfield Irrigation System (R-001)	Wetted Area (Acres)	Application Rate (acre-inches/week)	Gallon Per Day (MGD)
Zone 1 (Future)	11.68	1.6	0.07
Zone 2 (Future)	24.45	2.15	0.20
Zone 3 (Future)	19.65	5.67	0.43
Subtotal (Future)	55.78		0.70
R-001 Grand Total	153.63		2.60

The setback from the property line for the sprayfields shall be a minimum of 50 feet with high-level disinfection. The setback can be reduced to 50 feet if the setback is vegetated with trees or shrubs to create a continuous visual barrier at least five feet high to minimize aerosol drift. This distance shall be reduced to 25 feet if high-level disinfection is provided in addition to the vegetation. [Rule 62-610.421(2)(a), F.A.C.]. This land application site is located north of the WWTF site across the Gulf County Canal in Highland View, FL approximately at latitude 29° 51' 02" N, longitude 85° 59' 57" W.

FACILITY: City of Port St. Joe WWTF
PERMITTEE: City of Port St. Joe
Post Office Box 278
Port St. Joe, FL 32457

PERMIT NUMBER: FL0020206
PA PERMIT FILE: FL0020206-001-DW1S/NR
FL0020206-002-DW1P/RA
FL0020206-003-DW1/MR
FL0020206-004-DW1R/RA
FL0020206-011-DW1/MR

Page No.: 3R of 28

Land Application: A 0.350 MGD AADF permitted capacity Part IV rapid infiltration basin system (RIBs). R-002 consists of two (2) rapid-rate infiltration basins having a total capacity of 0.350 MGD and total of 8.58 acres.

Rapid Infiltration Basin (RIB) (R-002)	Wetted Area (Acres)	Application Rate (inches/day)	Gallon Per Day (MGD)
RIB No.1 (Future)	3.79	1.94	0.200
RIB No.2 (Future)	4.79	1.15	0.150
Total	8.58	-	0.350

The setback from the property line for the RIBs shall be a minimum of 50 feet due to high level disinfection and reasonable assurance provided in the engineering report [Rule 62-610.521(6)(c), F.A.C.]. This land application site is located next to R-001 which is north of the WWTF site across the Gulf County Canal in Highland View, FL approximately at latitude 29° 51' 02" N, longitude 85° 59' 57" W.

IN ACCORDANCE WITH: The limitations, monitoring requirements and other conditions set forth in Pages 1 through 28 of this permit.

FACILITY: City of Port St. Joe WWTF
 PERMITTEE: City of Port St. Joe
 Post Office Box 278
 Port St. Joe, FL 32457

PERMIT NUMBER: FL0020206
 PA PERMIT FILE: FL0020206-001-DWIS/NR
 FL0020206-002-DWIP/RA
 FL0020206-003-DW1/MR
 FL0020206-004-DWIR/RA
 FL0020206-011-DW1/MR

Page No.: 9R of 28

B. Reuse and Land Application Systems

1. During the period beginning upon placing the new facilities (R-001) into operation and lasting through the expiration date of this permit, the permittee is authorized to direct reclaimed water to Reuse System R-001. Such reclaimed water shall be limited and monitored by the permittee as specified below:

Reclaimed Water Limitations						Monitoring Requirements				
Parameter	Units	Max/Min	Annual Average	Monthly Average	Weekly Average	Single Sample	Monitoring Frequency	Sample Type	Monitoring Site Number	Notes
Flow to R-001	MGD	Maximum	1.9 2.60*	Report	-	-	Continuous	Recording flow meters and totalizers	FLW-01	See Cond.I.B.4
BOD, Carbonaceous 5 day, 20C	MG/L	Maximum	20.0	30.0	45.0	60.0	Weekly	16-hour flow proportioned composite	EFF-01	
Solids, Total Suspended	MG/L	Maximum				5.0	Weekly	Grab	EFB-01	
pH	SU	Range	-	-	-	6.0 to 8.5	Continuous	Meter	EFF-01	See Cond.I.B.3
Coliform, Fecal	#/100ML	Maximum	See Permit Condition I.B.5.				Weekly	Grab	EFF-01	
Total Residual Chlorine (For Disinfection)	MG/L	Minimum	-	-	-	1.6	Continuous	Meter	EFA-01	See Cond.I.B.3, 6

*** denotes constructed in phases Zones 1, 2, & 3, the permitted total flow to R-001 will increase from 1.9 MGD AADF to 2.60 MGD AADF.

FACILITY: City of Port St. Joe WWTF
 PERMITTEE: City of Port St. Joe
 Post Office Box 278
 Port St. Joe, FL 32457

PERMIT NUMBER: FL0020206
 PA PERMIT FILE: FL0020206-001-DW1S/NR
 FL0020206-002-DW1P/RA
 FL0020206-003-DW1/MR
 FL0020206-004-DW1R/RA
 FL0020206-011-DW1/MR

Page No.: 11R of 28

8. During the period beginning upon placing the new facilities into operation and lasting through the expiration date of this permit, the permittee is authorized to direct reclaimed water to Reuse System R-002. Such reclaimed water shall be limited and monitored by the permittee as specified below:

Monitoring Requirements										
Parameter	Units	Max/Min	Reclaimed Water Limitations				Monitoring Frequency	Sample Type	Monitoring Location Site Number	Notes
			Annual Average	Monthly Average	Weekly Average	Single Sample				
Flow to R-002	MGD	Maximum	0.35	Report	-	-	Continuous	Recording flow meters and totalizers	FLW-03	See Cond.I.B.10
BOD, Carbonaceous 5 day, 20C	MG/L	Maximum	20.0	30.0	45.0	60.0	Weekly	16-hour flow proportioned composite	EFF-01	
Solids, Total Suspended	MG/L	Maximum				5.0	Weekly	16-hour flow proportioned composite	EFB-01	
pH	SU	Range	-	-	-	6.0 to 8.5	Continuous	Meter	EFF-01	See Cond.I.B.9
Coliform, Fecal	#/100ML	Maximum	See Permit Condition I.B.11.				Weekly	Grab	EFF-01	
Total Residual Chlorine (For Disinfection)	MG/L	Minimum	-	-	-	1.6	Continuous	Meter	EFA-01	See Cond.I.B.9, 12
Nitrogen, Nitrate, Total (as N)	MG/L	Maximum	-	-	-	12.0	Weekly	16-hour flow proportioned composite	EFF-01	

FACILITY: City of Port St. Joe WWTF
 PERMITTEE: City of Port St. Joe
 Post Office Box 278
 Port St. Joe, FL 32457

PERMIT NUMBER: FL0020206
 PA PERMIT FILE: FL0020206-001-DWIS/NR
 FL0020206-002-DWIP/RA
 FL0020206-003-DWI/MR
 FL0020206-004-DWIR/RA
 FL0020206-011-DWI/MR

Page No.: 17R of 28

Monitoring Well ID	Monitoring Location Site Number	Depth (Feet)	Monitoring Area	Aquifer Monitored	New or Existing
MWC-7L	90235	30'	SW Property Line of Lagoon	Surficial	existing
MWC-8L	90236	30'	SE Property Line of Lagoon	Surficial	existing
MWB-9L	90237	110'	Property Line 600 feet from SE corner of the lagoon	Intermediate	existing
MWB-1	67207	Under Construction	R-001 - Zone 8 - Part II	Surficial	new
MWI-2	67214	Under Construction	R-001 - Zone 6 - Part II	Surficial	new
MWC-3	67216	Under Construction	R-001 - Zone 8 - Part II	Surficial	new
MWC-4	67219	Under Construction	R-001 - Zone 5 - Part II	Surficial	new

Expanded Future R-001 & R-002 Sites constructed in phases:

Monitoring Well ID	Monitoring Location Site Number	Depth (Feet)	Monitoring Area	Aquifer Monitored	New or Existing
MWC-5 (Future)*	67208	Under Construction	R-001 - Zone 3 - Part II	Surficial	new
MWC-6 (Future)*	67211	Under Construction	R-001 - Zone 2 - Part II	Surficial	new
MWC-7 (Future)*	67217	Under Construction	R-001 Zone 1 - Part II & R-002 RIB 2 - Part IV	Surficial	new
MWC-8 (Future)*	67212	Under Construction	R-002 RIB 2 - Part IV	Surficial	new
MWC-9 (Future)*	67215	Under Construction	R-002 RIB 1 - Part IV	Surficial	new

MWB = Background; MWI = Intermediate; MWC = Compliance [62-522.600][62-610.412]

9. The following parameters shall be analyzed for each of the monitoring well(s) identified in Permit Condition(s) III. 8:

Parameter	Compliance Well Limit	Units	Sample Type	Monitoring Frequency
Water Level Relative to NGVD	Report	FEET	In-situ	Quarterly
Nitrogen, Nitrate, Total (as N)	10	MG/L	Grab	Quarterly
Solids, Total Dissolved (TDS)	500*	MG/L	Grab	Quarterly
Arsenic, Total Recoverable	10	UG/L	Grab	Quarterly
Chloride (as Cl)	250*	MG/L	Grab	Quarterly
Cadmium, Total Recoverable	5	UG/L	Grab	Quarterly
Chromium, Total Recoverable	100	UG/L	Grab	Quarterly
Lead, Total Recoverable	15	UG/L	Grab	Quarterly
Coliform, Fecal	4	#/100ML	Grab	Quarterly
pH	6.0 to 8.5*	SU	In-situ	Quarterly
Sulfate, Total	250*	MG/L	Grab	Quarterly

*** denotes the existing wells around the lagoon (MWB-1L, MWI-3L, MWC-6L, MWC-7L, MWC-8L and MWB-9L) are exempt from the secondary drinking water standard due to their eligibility for "existing installation" status of Chapter 62-520, F.A.C. The compliance well limit for these parameters in these lagoon wells is revised to "report". [62-522.600(1)(b)] [62-601.300(3), 62-601.700, and Figure 3 of 62-601][62-601.300(6)] [62-520.300(9)]

10. If the concentration for any constituent listed in Permit Condition III. 9. in the natural background quality of the ground water is greater than the stated maximum, or in the case of pH is also less than the minimum, the representative natural background quality shall be the prevailing standard. [62-520.420(2)]

FACILITY: City of Port St. Joe WWTF
PERMITTEE: City of Port St. Joe
Post Office Box 278
Port St. Joe, FL 32457

PERMIT NUMBER: FL0020206
PA PERMIT FILE: FL0020206-001-DWIS/NR
FL0020206-002-DW1P/RA
FL0020206-003-DW1/MR
FL0020206-004-DW1R/RA
FL0020206-011-DW1/MR

Page No.: 18R of 28

- 11. In accordance with Part D of Form 62-620.910(10), water levels shall be recorded before evacuating wells for sample collection. Elevation references shall include the top of the well casing and land surface at each well site (NGVD allowable) at a precision of plus or minus 0.1 foot. *[62-610.412(2)(c)]*
- 12. Ground water monitoring wells shall be purged prior to sampling to obtain representative samples. *[62-601.700(5)]*
- 13. Analyses shall be conducted on unfiltered samples, unless filtered samples have been approved by the Department's Northwest District Office as being more representative of ground water conditions. *[62-520.300(9)]*
- 14. Ground water monitoring parameters shall be analyzed in accordance with Chapter 62-601, F.A.C. *[62-620.610(18)]*
- 15. Ground water monitoring test results shall be submitted on Part D of Form 62-620.910(10). For reuse or land application projects, results shall be submitted with the DMR for each month listed in the following schedule. The submitted results shall be for each year during the period of operation allowed by this permit in accordance with Permit Condition I.B.7. *[62-522.600(10) and (11)(b)] [62-601.300(3), 62.601.700, and Figure 3 of 62-601] [62-620.610(18)]*

SAMPLE PERIOD	REPORT DUE DATE
January - March	April 28
April - June	July 28
July - September	October 28
October - December	January 28

- 16. If any monitoring well becomes damaged or cannot be sampled for some reason, the permittee shall notify the Department's Northwest District Office immediately and a written report shall follow within seven days detailing the circumstances and remedial measures taken or proposed. Repair or replacement of monitoring wells shall be approved in advance by the Department's Northwest District Office. *[62-522.600][62-4.070(3)]*
- 17. The Permittee shall provide verbal notice to the Department's Northwest District Office as soon as practical after discovery of a sinkhole within an area for the management or application of wastewater, wastewater residuals (sludges), or reclaimed water. The Permittee shall immediately implement measures appropriate to control the entry of contaminants, and shall detail these measures to the Department's Northwest District Office in a written report within 7 days of the sinkhole discovery. *[62-4.070(3)]*
- 18. All piezometers and monitoring wells not part of the approved ground water monitoring plan are to be plugged and abandoned in accordance with Rule 62-532.500(4), F.A.C., unless there is intent for their future use. *[62-532.500(4)]*

IV. ADDITIONAL REUSE AND LAND APPLICATION REQUIREMENTS

Part II Slow-Rate/Restricted Access System(s) (R-001)

- 1. Advisory signs shall be posted around the site boundaries to designate the nature of the project area. *[62-610.418(1)]*
- 2. Routine aquatic weed control and regular maintenance of storage pond embankments and access areas are required. *[62-610.414(8)]*
- 3. The annual average hydraulic loading rate to the Part II restricted access sprayfields R-001 for Zones 4 thru 8 shall be limited to 5.00 inches/week (capacity of 1.90 MGD). After Zones 1 thru 3 are constructed in phases, the permitted capacity will increase 0.70 to 2.60 MGD. The hydraulic loading rate shall not produce surface runoff or ponding of the applied reclaimed water. *[62-610.423(3) and (4)]*
- 4. The crops or vegetation shall be periodically harvested and removed from the project area. *[62-610.310(3)(d) and 62-610.419(1)(b)]*
- 5. Dairy cattle whose milk is intended for human consumption shall not be allowed on the project area for a period of 15 days after the last application of reclaimed water. No restrictions are imposed on the grazing of other cattle. *[62-610.425]*

FACILITY: City of Port St. Joe WWTF
PERMITTEE: City of Port St. Joe
Post Office Box 278
Port St. Joe, FL 32457

PERMIT NUMBER: FL0020206
PA PERMIT FILE: FL0020206-001-DW1S/NR
FL0020206-002-DW1P/RA
FL0020206-003-DW1/MR
FL0020206-004-DW1R/RA
FL0020206-011-DW1/MR

18

Page No.: 19R of 28

6. Irrigation of edible food crops is prohibited. [62-610.426]
7. Overflows from emergency discharge facilities on storage ponds shall be reported as an abnormal event to the Department's Northwest District Office within 24 hours of an occurrence. The provisions of Rule 62-610.800(9), F.A.C., shall be met. [62-610.800(9)]

Part IV Rapid Infiltration Basins (R-002)

8. Advisory signs shall be posted around the site boundaries to designate the nature of the project area. [62-610.518]
9. The annual average hydraulic loading rate to the Part IV rapid-rate land application dual percolation pond system (RIBs No.1 & No.2 will have a permitted capacity of 0.20 MGD and 0.150 MGD, respectively) shall be limited to a maximum of 1.94 and 1.15 inches per day, respectively (as applied to the entire bottom area). [62-610.523(3)]
10. The Part IV rapid-rate land application dual percolation pond system normally shall be loaded for 1 day and shall be rested for 5 days. Infiltration ponds, basins, or trenches shall be allowed to dry during the resting portion of the cycle. [62-610.523(4)]
11. Rapid infiltration basins shall be routinely maintained to control vegetation growth and to maintain percolation capability by scarification or removal of deposited solids. Basin bottoms shall be maintained to be level. [62-610.523(6) and (7)]
12. Routine aquatic weed control and regular maintenance of storage pond embankments and access areas are required. [62-610.514 and 62-610.414]
13. Overflows from emergency discharge facilities on storage ponds or on infiltration ponds, basins, or trenches shall be reported as an abnormal event to the Department's Northwest District Office within 24 hours of an occurrence. The provisions of Rule 62-610.800(9), F.A.C., shall be met. [62-610.800(9)]

V. OPERATION AND MAINTENANCE REQUIREMENTS

1. During the period of operation authorized by this permit, the wastewater facilities shall be operated under the supervision of a(n) operator(s) certified in accordance with Chapter 62-602, F.A.C. In accordance with Chapter 62-699, F.A.C., this facility is a Category III, Class B facility and, at a minimum, operators with appropriate certification must be on the site as follows:

"When the monthly average flow through the WWTP is less than 2.0 MGD, then the following month's operator requirement is:

A Class C or higher operator: 6 hours/day for 5 days/week and one visit on each weekend day. The lead operator must be a Class B operator, or higher."

"When the monthly average daily flow through the WWTP equals or exceeds 2.0 MGD, then the following month's operator requirement is:

A Class C or higher operator: 16 hours/day for 7 days/week. The lead operator must be a Class B operator, or higher." [62-620.630(3)] [62-699.310] [62-699.311(8)] [62-610.462]

2. The lead operator shall be employed at the plant full time. "Full time" shall mean at least 4 days per week, working a minimum of 35 hours per week, including leave time. A certified operator shall be on-site and in charge of each required shift and for periods of required staffing time when the lead operator is not on-site. An operator meeting the lead operator classification level of the plant shall be available during all periods of plant operation. "Available" means able to be contacted as needed to initiate the appropriate action in a timely manner. [62-699.311(10), (5), and (1)]
3. When the three-month average daily flow for the most recent three consecutive months exceeds 50 percent of the permitted capacity of the treatment plant or reuse and disposal systems, the permittee shall submit to the Department a capacity analysis report. This initial capacity analysis report shall be submitted within 180 days after the last day of the last month of the three-month period referenced above. The capacity analysis report shall be prepared in accordance with Rule 62-600.405, F.A.C. [62-600.405(4)]
4. The application to renew this permit shall include a detailed operation and maintenance performance report prepared in accordance with Rule 62-600.735, F.A.C. [62-600.735(1)]

FACILITY: City of Port St. Joe WWTF
 PERMITTEE: City of Port St. Joe
 Post Office Box 278
 Port St. Joe, FL 32457

PERMIT NUMBER: FL0020206
 PA PERMIT FILE: FL0020206-001-DW1S/NR
 FL0020206-002-DW1P/RA
 FL0020206-003-DW1/MR
 FL0020206-004-DW1R/RA
 FL0020206-011-DW1/MR

Page No.: 20R of 28

5. The permittee shall maintain the following records and make them available for inspection on the site of the permitted facility:
 - a. Records of all compliance monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation and a copy of the laboratory certification showing the certification number of the laboratory, for at least three years from the date the sample or measurement was taken;
 - b. Copies of all reports required by the permit for at least three years from the date the report was prepared;
 - c. Records of all data, including reports and documents, used to complete the application for the permit for at least three years from the date the application was filed;
 - d. Monitoring information, including a copy of the laboratory certification showing the laboratory certification number, related to the residuals use and disposal activities for the time period set forth in Chapter 62-640, F.A.C., for at least three years from the date of sampling or measurement;
 - e. A copy of the current permit;
 - f. A copy of the current operation and maintenance manual as required by Chapter 62-600, F.A.C.;
 - g. A copy of the facility record drawings;
 - h. Copies of the licenses of the current certified operators; and
 - i. Copies of the logs and schedules showing plant operations and equipment maintenance for three years from the date of the logs or schedules. The logs shall, at a minimum, include identification of the plant; the signature and certification number of the operator(s) and the signature of the person(s) making any entries; date and time in and out; specific operation and maintenance activities; tests performed and samples taken; and major repairs made. The logs shall be maintained on-site in a location accessible to 24-hour inspection, protected from weather damage, and current to the last operation and maintenance performed.
 - j. Records of biosolids quantities, treatment, monitoring, and hauling for at least five years;
 - k. Copies of the Biosolids Application Site Annual Summaries, received from site permittees in accordance with paragraph 62-640.650(5)(e), F.A.C., indefinitely. [62-620.350, 62-602.650]

VI. SCHEDULES

1. The following construction schedule shall be followed, unless a minor permit revision is issued to amend the schedule:

	Improvement Action	Completion Date (Revised)
1	Construct and make operational the high level disinfection system and reuse pump station, which consists of dual filter pump station, dual cloth disk filters, dual chlorine contact basins, liquid hypochlorite facility and reclaimed water pump station.	August 31, 2012
2	Construct and make operational reuse system, R-001, five zones, 97.85 acre sprayfield.	August 31, 2012
3	Construct and make operational reuse system R-001 (Zones 1 thru 3). Permittee shall demonstrate setback distance requirements have been satisfied for R-001, Zones 1 thru 3 before construction. Prior to operating Zones 1 thru 3, ground water samples shall be taken from Monitoring Wells MWC-5, MWC-6 & MWC-7 and characterize.	TBD
4	Construct and make operational reuse system R-002 [two rapid infiltration basins (RIBs)]. Permittee shall demonstrate setback distance requirements have been satisfied for R-002, RIB1 and RIB 2 before construction. Prior to operating RIB1 and RIB 2, ground water samples shall be taken from Monitoring Wells MWC-8 & MWC-9 and characterize.	TBD
5	Construct and make operational the new WWTP headworks consisting of a single influent screen with backup bar screen, Parshall flume for influent flow measurement, dual grit removal units and the influent pump station.	August 31, 2012

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Wastewater Compliance Evaluation Section, MS 3551, 2600 Blair Stone Road, Tallahassee, FL 32399-2400

PERMITTEE NAME: City of Port St. Joe
 MAILING ADDRESS: Post Office Box 278
 Port St. Joe, FL 32457
 FACILITY: City of Port St. Joe WWTF
 LOCATION: 0.5 miles E. of Hwy 98 on CR 382
 Port St. Joe, FL 32457
 COUNTY: Gulf
 OFFICE: Northwest District Branch (Panama City)

PERMIT NUMBER: FL0020206
 PA FILE NUMBER: FL0020206-011-DW1/MR
 LIMIT: Final
 CLASS SIZE: Major
 MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: R-001 and influent

NO DISCHARGE FROM SITE: From: _____ To: _____
 MONITORING PERIOD: _____


Parameter	Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
Flow to R-001	Sample Measurement						
PARM Code 50050 Mon Site No. FLW-01	Permit Requirement 1.90 (An.Avg.)	MGD				Continuous	Flow meters and totalizers
Flow to R-001	Sample Measurement						
PARM Code 50050 Mon Site No. FLW-01	Permit Requirement Report (Mo.Avg.)	MGD				Continuous	Flow meters and totalizers
BOD, Carbonaceous 5 day, 20C	Sample Measurement						
PARM Code 80082 Mon Site No. EFF-01	Permit Requirement		20.0 (An.Avg.)	MG/L		Weekly	16-hour PPC
BOD, Carbonaceous 5 day, 20C	Sample Measurement						
PARM Code 80082 Mon Site No. EFF-01	Permit Requirement		30.0 (Mo.Avg.)	MG/L		Weekly	16-hour PPC
Solids, Total Suspended	Sample Measurement						
PARM Code 00530 Mon Site No. EFF-01	Permit Requirement		5.0 (Max.)	MG/L		Weekly	Grab
pH	Sample Measurement						
PARM Code 00400 Mon Site No. EFF-01	Permit Requirement		6.0 (Min.)				
			8.5 (Max.)	SU		Continuous	Meter

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (Y/M/M/DD)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

PROJECT NO. 019 093
 MONITORING WELL POINT LOCATIONS
 WASTEWATER TREATMENT FACILITY IMPROVEMENTS
 DIVISION 2 SPRAYFIELDS
 CITY OF PORT ST JOE
 GULF COUNTY, FLORIDA
 PREBLE RISH INC.
 CONSULTING ENGINEERS AND SURVEYORS
 1000 W. UNIVERSITY BLVD., SUITE 100
 TAMPA, FL 33606
 PHONE: (813) 288-1111
 FAX: (813) 288-1112
 PROJECT NO. 019 093
 SHEET NO. 10



BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Petition for limited proceeding to approve stipulation and settlement agreement by Progress Energy Florida, Inc.

DOCKET NO. 120022-EI
ORDER NO. PSC-12-0104-FOF-EI
ISSUED: March 8, 2012

The following Commissioners participated in the disposition of this matter:

RONALD A. BRISÉ, Chairman
LISA POLAK EDGAR
ART GRAHAM
EDUARDO E. BALBIS
JULIE I. BROWN

FINAL ORDER APPROVING STIPULATION AND SETTLEMENT AGREEMENT

BY THE COMMISSION:

On January 20, 2012, Progress Energy Florida, Inc. (PEF) filed a Petition for Limited Proceeding to Approve Stipulation and Settlement Agreement. PEF requested that we hold a limited proceeding pursuant to Sections 366.076 and 120.57(2), Florida Statutes (F.S.), and Rule 28-106.301, Florida Administrative Code (F.A.C.). The purpose of the limited proceeding was for us to consider the Stipulation and Settlement Agreement (Agreement) which is attached as Exhibit A to this Order. The Agreement is executed by PEF, the Office of Public Counsel (OPC), the Florida Industrial Power Users Group (FIPUG), the Florida Retail Federation (FRF), White Springs Agriculture Chemicals, Inc. d/b/a PCS Phosphates (White Springs), and the Federal Executive Agencies (FEA).

The Agreement resolves certain outstanding issues in several of our existing and continuing dockets, including Docket No. 100437-EI, which involves the examination of the outage and replacement fuel/power costs associated with PEF's Crystal River Unit 3 (CR3) steam generator replacement, and Docket No. 120009-EI, our ongoing Nuclear Cost Recovery Clause. The resolution of these issues in these dockets involves, among other provisions in the Agreement, an adjustment to PEF's base rates. The Agreement settles certain issues regarding the prudence of PEF's decisions and actions on the steam generator repair project, provides for a refund of \$288 million of replacement fuel costs to PEF's customers, provides for a resolution of the potential repair or decommissioning of CR3, and settles issues involving the Levy Nuclear Project and the CR3 power uprate project. The Agreement provides an adjustment in base rates beginning with the first billing cycle of January 2013, with PEF's base rates otherwise frozen through the last billing cycle of 2016, subject to certain other provisions in the Agreement. The signatories to the Agreement are organizations that represent the major customer groups served by PEF and include OPC, the entity statutorily charged with representing people of the state of Florida in proceedings before us. Thus, the customers' interests are fairly represented by the signatories to the Agreement.

Complete Agreement on file with Clerk

INFORMATION
DATE: 3/27/12 LL

DOCUMENT NUMBER DATE

01378 MAR-8 12

FPSC-COMMISSION CLERK

FILED FOR RECORD
REBECCA L. MORRIS
CLERK OF PUBLIC SERVICE
COMMISSION
2012 MAR 21 PM 1:11

We have jurisdiction pursuant to Chapter 366, F.S., including Sections 366.04, 366.041, 366.05, 366.06, 366.07, 366.076, 366.8255, 366.93, and 120.57(2) and (4), F.S., and Rule 28-106.301 and 28-106.302, F.A.C.

We provided public notice of the hearing and the opportunity to present evidence and oral argument. On February 20 and 22, 2012, we took testimony and oral argument regarding the Agreement from the parties to the Agreement, as well as members of the public.

Based upon the petition, our review of the Agreement, and the evidence and oral argument taken at the hearing, we find approval of the Agreement to be in the public interest. Accordingly, we approve Agreement which is attached to this Order as Exhibit A and made a part hereof. The tariffs attached to the Agreement are approved.

Based on the foregoing, it is

ORDERED by the Florida Public Service Commission that the attached Stipulation and Settlement Agreement is approved. It is further

ORDERED that the tariffs attached to the Stipulation and Settlement Agreement are approved. It is further

ORDERED that this docket shall be closed if no appeal is timely filed.

By ORDER of the Florida Public Service Commission this 8th day of March, 2012.



ANN COLE
Commission Clerk
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399
(850) 413-6770
www.floridapsc.com

Copies furnished: A copy of this document is provided to the parties of record at the time of issuance and, if applicable, interested persons.

LCB

NOTICE OF FURTHER PROCEEDINGS OR JUDICIAL REVIEW

The Florida Public Service Commission is required by Section 120.569(1), Florida Statutes, to notify parties of any administrative hearing or judicial review of Commission orders that is available under Sections 120.57 or 120.68, Florida Statutes, as well as the procedures and time limits that apply. This notice should not be construed to mean all requests for an administrative hearing or judicial review will be granted or result in the relief sought.

Any party adversely affected by the Commission's final action in this matter may request: 1) reconsideration of the decision by filing a motion for reconsideration with the Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, within fifteen (15) days of the issuance of this order in the form prescribed by Rule 25-22.060, Florida Administrative Code; or 2) judicial review by the Florida Supreme Court in the case of an electric, gas or telephone utility or the First District Court of Appeal in the case of a water and/or wastewater utility by filing a notice of appeal with the Office of Commission Clerk, and filing a copy of the notice of appeal and the filing fee with the appropriate court. This filing must be completed within thirty (30) days after the issuance of this order, pursuant to Rule 9.110, Florida Rules of Appellate Procedure. The notice of appeal must be in the form specified in Rule 9.900(a), Florida Rules of Appellate Procedure.



P.O. Box 13300, Tallahassee, FL 32317-3300

Williams vs. Scott Ruling

On March 6, 2012, the Circuit Court of the Second Judicial Circuit issued a ruling in favor of Williams (plaintiff) in the Williams vs. Scott case. In this case, Williams challenged the Florida Retirement System's mandatory 3% employee contributions effective July 1, 2011 and reduction in the 3% cost-of-living adjustment for Pension Plan members retiring on or after July 1, 2011. Although Williams prevailed, the case is expected to be appealed to the appropriate Florida appellate court.

Because of this appeal, no action will be taken at the present time by the FRS to revise the currently required employee contributions and present cost-of-living calculation. Once the appeal process has been finalized we will notify you of the final decision and what actions, if any, will be taken by the FRS.

If you have additional questions, please call the MyFRS Financial Guidance Line at 1-866-446-9377, Option 2.

2012 MAR 21 PM 10:10
FLORIDA RETIREMENT
SYSTEM
TALLAHASSEE, FL 32317



RICK SCOTT
GOVERNOR

March 12, 2012

FILED FOR RECORD
REBECCA L. MORRIS
CLERK OF DISTRICT COURT
ALL COUNTY, FLORIDA
2012 MAR 15 PM 4:34

Mr. Benjamin S. Guthrie
13048 Northwest Pea Ridge Road
Bristol, Florida 32321

Dear Mr. Guthrie:

One of my greatest priorities and responsibilities is the appointment of qualified and ethical individuals to boards and commissions throughout the state.

With this goal in mind, it is my pleasure to appoint you to the E911 Board. Your appointment is evidence of my utmost confidence in your ability to serve with excellence and distinction.

You will soon receive your qualifying papers from the Department of State. Please note that these papers will need to be filed before you are able to assume your position.

Congratulations and thank you for your willingness to serve the people of Florida.

Sincerely,

A handwritten signature in black ink, appearing to read "Rick Scott".

Rick Scott
Governor

RS/jrd

Lynn Lanier

From: Gulf Power Economic Development [G2ECONDEVFL@southernco.com]
Sent: Thursday, March 15, 2012 5:21 PM
To: 'bocc@gulfcounty-fl.gov'
Subject: Gulf Power

Dear Community Leader,

Earlier this week, the Public Service Commission approved an increase in base rates for Gulf Power Company for the first time in 10 years. Beginning in mid-April, the price for a residential customer buying 1000 kilowatt-hours of electricity will increase to \$126.53. The new price is \$3.86 more than the price was before we asked for the increase last year.

Base rates cover everyday expenses of providing electric service — bucket trucks, diesel fuel, wire, poles, transformers, customer service offices, and much more. These expenses have increased over the last 10 years, some by more than 250 percent. We absorbed these increases as long as possible, but we've reached a point that an increase is necessary to cover these rising costs.

While this is the first base rate increase in a decade, other factors have increased Gulf Power's prices, primarily the cost of meeting new environmental regulations and the cost of fuel we use to make electricity. For instance, we recently installed a new state-of-the-art scrubber system at our largest generating plant. While this new system benefits the environment, it also carried a price tag of more than \$650 million that is reflected in our rates.

In addition, fuel costs have risen sharply in the last few years. We recover the costs of fuel from our customers without any markup. So when fuel prices increase, the price of electricity usually increases. We strive to maintain a fuel mix that provides reliable, stable prices for our customers. In fact, we just recently passed along two decreases in fuel costs to our customers — one in January and one this month.

Gulf Power will continue to offer programs to help customers make efficiency improvements in their homes or businesses. These EarthCents programs are helping many customers upgrade their heating/cooling systems, add insulation, and use energy more efficiently. Since the beginning of the year, more than 43,000 customers have used these programs.

Additionally, Gulf Power is working with local and regional economic development organizations to design new incentives that will encourage business expansion and development in our service area.

We understand that raising prices affects our customers. We also understand that electricity is a vital component of our everyday lives — our employees will continue to work hard to keep our prices low, our reliability high, and offer excellent customer service. That was our commitment when Gulf Power began 86 years ago, and it remains our commitment to you today.

Thank You,

Mark Crosswhite
 Gulf Power Company President and CEO

Gulf Power Price Changes

July 2011	\$122.67	Price when base rate increase request was filed
September 2011	\$127.16	After PSC granted temporary base rate increase
January 2012	\$125.80	Decrease for lower coal, natural gas and environmental costs
March 2012	\$122.46	Decrease for lower natural gas costs
April 2012	\$126.53	New Base Rates go into effect
	<i>Price for 1,000</i>	



ATTN: Lee Collinsworth

RECEIVED FEB 21 2012

GULF COUNTY, FLORIDA
BUILDING DEPARTMENT

1000 CECIL G. COSTIN, SR, BLVD., ROOM 305 * PORT ST. JOE, FLORIDA 32456 * PHONE (850) 229-3944 * FAX (350) 229-7873

ACCESSORY STRUCTURE PERMIT APPLICATION

DATE: 2/21/12

FILED FOR RECORD
RECORDING DEPARTMENT
CLERK OF THE COUNTY
COURT
2012 MAR 21 PM 12:46

TYPE OF STRUCTURE(S):

POLE BARN: _____ /SIZE _____ CARPORT: _____ /SIZE _____

GARAGE: _____ /SIZE _____ SHED: _____ /SIZE _____

RECREATION VEHICLE: _____ /SIZE _____ OTHER (EXPLAIN): SIGN /SIZE 4'x4'

PROPERTY OWNER'S NAME & PHONE #: TOM + LINDA MARQUARDT TEL 850-229-8670
HM - 850-229-5343

CONSTRUCTION ADDRESS: 2431 C-30 PORT ST. JOE FL. 32456

PARCEL I.D. NUMBER: 06248100

CONTRACTOR'S NAME & PHONE #: TOYE ROBERTS OFF 850-229-6014 CEL 850-258-4691

CONTRACTOR'S LICENSE NUMBER: CONSTRUCTION INSTALLATION PERFORMED BY OWNER

ITEMS REQUIRED FOR PERMITTING:

- (1) SITE PLAN SHOWING ALL EXISTING STRUCTURE(S)
- (2) PROPOSED STRUCTURE DISTANCE TO ALL PROPERTY LINES

NOTE: ITEMS MUST BE ATTACHED TO THIS APPLICATION WHEN SUBMITTING FOR A PERMIT.

"DECLARATION STATEMENT"

I DO HEREBY AGREE TO COMPLY WITH ALL LOCAL AND STATE REGULATIONS RELATED TO CONSTRUCTING THE ABOVE DESCRIBED STRUCTURE(S). UPON COMPLETION OF BUILDING THE NOTED STRUCTURE(S), I WILL PROVIDE ANY DOCUMENTS REQUESTED BY THE GULF COUNTY BUILDING DEPARTMENT IN ORDER TO ASSURE COMPLIANCE.

PRINTED NAME: JAMES T. ROBERTS SIGNATURE: [Signature]

LEASE OF SIGNAGE SPACE

This Agreement made this 30 day of January, 2012 by and between THOMAS O. MARQUARDT , whose address for the purposes herein is P.O. Box 13668, Mexico Beach, FL 32410, and JAMES T. ROBERTS , whose address is 144 Commerce Blvd., Port St. Joe, Florida 32456

W I T N E S S E T H:

That THOMAS O. MARQUARDT ("Marquardt") for and in consideration set forth below agrees to and hereby does lease to James T. Roberts ("Roberts") or to his affiliated entities (including America's Mini Storage and Office Complex) a the right and privilege at any and all times during the term hereunder provided for, to erect signage on the real property known as Parcel No. 06248-100R in Simmons Bayou, Gulf County, Florida being located at 2431 C-30, Port St. Joe FL, 32456.

This right includes the right to permit for the installation and use of property for signage and advertising with the County and State regulatory authorities including the State of Florida Department of Transportation.


In consideration, Roberts agrees to pay to Marquardt rent of \$100.00 per month.

The term of this Agreement may be cancelled by either party upon 30 days written notice.

In further consideration, Roberts agrees to protect, indemnify and save harmless Marquardt from and against all liabilities, obligations, claims, damages, penalties, causes of action, costs and expenses imposed upon or incurred by or asserted against Marquardt by reason of any accident, injury to or death of persons, or loss or damage of his property as a result of the sign.

This Agreement shall be binding on the heirs, executors, administrators or assigns.

IN WITNESS WHEREOF, the parties have executed the Agreement on the date and year first above written.









 THOMAS O. MARQUARDT




 JAMES T. ROBERTS

STATE OF FLORIDA
 COUNTY OF GULF



SR 30-A



TRACT 4

1.00 AC

06255-050R

3.00

06257-01R

06257-005R

1.10 AC

06246-000R

06248

3-000R

38 6248-690R

37 6248-685R

HOA 6248-504R

36 6248-680R

35 6248-675R

34 6248-670R

33 6248-665R

32 6248-660R

31 6248-655R

30 6248-

SR 30-A

06248-098R

B

37 AC

06256

FLORIDA DEPARTMENT OF TRANSPORTATION

RE: Application for outdoor advertising sign permit

To be completed by applicant:

Name of Applicant or Company: AMERICA'S MINI STORAGE AND OFFICE COMPLEX LLC.
Sign is: existing proposed
County: GULF Municipality, if applicable: _____
Highway Name & Number: 2431 C30A
Sign location description: 3 MILES SOUTH US HWY 98
Parcel ID#: 06248-100

To be completed by appropriate zoning official:

Designation of parcel on the Future Land Use Map: _____
Current zoning of parcel (from Land Development Regulations): _____

Copies of the applicable pages from the land use documents showing all allowable uses under the designations listed above must be submitted with this application.

Is location within city limits: Yes No If yes, name of city: _____

Please provide the name and telephone number of the person the Department may contact if additional information is required:

Name: _____ Telephone #: _____

I certify that the above information reflects the designation of the parcel as it is shown on the current comprehensive plan adopted pursuant to chapter 163, Florida Statutes, and that I am authorized to sign this form on behalf of the county/municipality named above:

Signature of Local Government Official _____ Date _____

Printed Name and Title _____

NOTE: Form must be completed not more than six (6) months prior to receipt of the completed outdoor advertising permit application by the Department.

Local Government Permission: Please complete the items below. You may submit another form of written statement indicating that the sign complies with all local governmental requirements. For a proposed sign location, a copy of the building permit issued by the local government may be submitted.

The outdoor advertising sign identified in this application:

- Is in compliance with all duly adopted local ordinances and has been or will be issued the necessary permits.
- Is not in compliance with local ordinances, but is legally existing as a non-conforming sign.
- Is not in compliance with local ordinances and is/would be considered to be an illegally maintained structure.

I certify that I represent the governmental entity within whose jurisdiction the sign described herein is located and that the determination reflected in this section is made under my delegated authority.

Signature of Local Government Official _____ Date _____

Printed Name and Title _____

NOTE: Form must be completed not more than six (6) months prior to receipt of the completed outdoor advertising permit application by the Department.

Lynn Lanier

From: Leah Tew [leaht@Thomaseye.com]
 Sent: Thursday, March 08, 2012 4:00 PM
 To: boccc@gulfcounty-fl.gov
 Subject: Beach driving

My family and I spent what originally was planned to be a week in Cape San Blas this past January and would plan to spend another week in October and again in December except for one thing.

BEACH DRIVING

You have no idea how incredibly disappointed I was when, in my first five minutes of stepping on the beach, a truck drove by. Talk about taking one out of the moment! Typically, for the rest of the time we were there a truck full of folks would come driving by about five or six times a day or so, forcing my family (including my elderly parents, several children, and pets) to pick up our belongings and move out of the way. Sometimes the trucks would just stop and park right where we had previously been enjoying ourselves, displacing us to another area. We got so tired of this that about half way through the week ALL SEVENTEEN of us picked up our belongings and relocated ourselves and our tax dollars to another beach in Alabama. Had I known about the beach driving, I never would have even booked my vacation at Cape San Blas, which otherwise was one of the loveliest spots I've ever visited.

The final straw was when my husband and I were snuggling on the beach, watching the moon and Sirius set over the ocean, when a dad-blamed truck drove by. I wasn't spending what amounted to a boat load of money to see that. We packed up and left the next morning.

What a shame for you to allow this on your beaches. I can't imagine that the annual fees you receive from this justify the loss of income from tourism, or the increased cost of maintaining an already fragile and expensive stretch of beach. And, considering the extensive erosion problems on the Cape and other fragilities of the local eco system, it seems almost unethical and short sighted to allow it. It's not as though there is any reasonable purpose to allow beach driving, especially since there is more than adequate access to the beach otherwise.

You can see tire tracks in almost all of my photos from those few days. Whenever my friends look at them, they inevitably are surprised that beach driving is allowed, and that turns them off from visiting as well. I would love so much to book our October and December vacations there, but it looks like Alabama wins again - for me, my family, and all my friends. I'm not a local and I can't vote in a booth, but I can vote by taking my tourism dollars elsewhere.

Leah B. Tew, RN, MBA

Manager, Healthcare Informatics


Thomas Eye Group

678.781.7308 direct

404.434.6523 cell

www.ThomasEye.com <<http://www.ThomasEye.com>>

"A difference you can see"



2012 MAR 21 PM 12:28

FILED FOR RECORD
FEDERAL COURTS
CLERK OF DISTRICT COURT
2012 MAR 21 PM 12:49

Billy Williams, Chairman
Gulf County Board of County Commissioners
1000 Cecil Costin Sr., Blvd
Port St. Joe, FL 32456

March 2, 2012

It is apparent that you did not receive North Florida Child Development's (NFC) correspondence regarding the County's proposed lease to NFC, for a portion of the old Courthouses in Wewahitchka. As stated, in correspondence, that must have crossed in the mail, the proposed lease is not acceptable and quite frankly we cannot afford that big of a cost increase. The rent has been increased dramatically along with the addition of new maintenance/ utility costs and a common area assessment.

I think it prudent to point out that NFC is the only paying tenant at the courthouse and therefore is subsidizing the operation of the clerk's office, the tag office, the extension office and the courtroom operations. The \$ 27,019 paid in courthouse rent by NFC last year, along with the \$6,000 rental of the old health department, paid all the maintenance, insurance costs and utility costs for all of the aforementioned entities.

Additionally, NFC is one of the few successful economic engines now operating in collaboration with the County to grow business in the County and the loss of NFC as a tenant could result in the closure of the courthouse and other services now provided on those premises.

In view of the aforementioned, NFC would propose a modest increase in rent and the following amendments to your proposed lease. This increase will allow the County to operate the courthouse without expense and continue to house the essential services located on said premises.

Amendments and modifications.

- Premises and Use—Amend lease to include the three offices and conference room downstairs and the occasional use of the courtroom space for training. (The 2,165 square feet is correct).
- Term---21 month lease term to end 12-31-13 and beginning 4-1-12.
- Rent payment---Increase monthly rent from \$2,251 (1.06/sq foot or \$27,019 annually) to \$2,511 per month (1.16/sq foot per month or \$30,136 annually).

INFORMATION
DATE: 3-27-12 JSB

www.floridachildren.org

850-639-5080 (phone) • 850-639-4173 (fax)

P.O. Box 38, 200 North Second Street, Wewahitchka, Florida 32465

Sharon T. Gaskin, CEO

Calhoun County • Gulf County • Liberty County • Madison County • Wakulla County

- Utility and Maintenance Calculation—As with the current lease, rent payment needs to be all inclusive of utilities and major building maintenance and not contain additional central area assessment fees.
- Payment of rent timeline should be more reasonable, suggest due by the 10th and not considered late until the 20th.

For your consideration I have provided below, a one year operating budget with the increased rent and County's historical operating expenses based on 2011:

WEWA Courthouse and Old Health Department	
EXPENSES	
2011 Maintenance and Repair	\$ 27,906
Insurance	\$ 5,076
Total Expenses	\$ 32,982
Revenue	
New NFCD Rent (Courthouse)	\$ 30,136
Income from rental of Old health department	\$ 6,000
Income from Clerks office, tax office, Extension Service,	\$ -0-
TOTAL Income	\$ 36,136
Projected Profit/ Loss on operations	\$ 3,154.00

NFCD would appreciate your review and the County's acceptance of the aforementioned changes to the lease amount and terms of the lease. I am available to discuss this matter with you and /or the full board at your convenience.

With Regards,



Sharon Gaskin
Chief Executive Officer



Invoice

PREBLE-RISH INC

Blountstown • Crawfordville • Monticello • Panama City
Port St. Joe • Quincy • Santa Rosa Beach • Suwannee

DATE	INVOICE#
3/7/2012	66834

BILL TO:

Gulf County
Board of County Commissioners
1000 Cecil G Costin Sr. Blvd
Port St. Joe, FL 32456

FILED FOR RECORD
2012 MAR 21 PM 1:49
CLERK OF COUNTY CLERK
GULF COUNTY FLORIDA

PO NUMBER	TERMS	PROJECT
	Due on recpt	3.000 General E...

QUANTITY	DESCRIPTION	RATE	AMOUNT
	LOT 7, CAPE ISLE PRESERVE STAKEOUT Hourly Services through 2/25/12		
2.5	Survey Field Crew	110.00	275.00
1	Survey Field Crew Manager	70.00	70.00
	No charge for services		-345.00

FILED FOR RECORD
2012 MAR 21 PM 1:49
CLERK OF COUNTY CLERK
GULF COUNTY FLORIDA

THANK YOU! Please remit to our Port St. Joe office

TOTAL \$0.00

324 Marina Drive • Port St. Joe, FL 32456
850/227-7200 fax 850/227-7215

3/27/12 38 LL



Invoice

PREBLE-RISH INC

CONSULTING ENGINEERS & SURVEYORS
Blountstown • Crawfordville • Monticello • Panama City
Port St. Joe • Quincy • Santa Rosa Beach • Suwannee

DATE **INVOICE#**

3/7/2012

66836

2012 MAR 10 PM 5:48
COUNTY COMMISSIONERS

BILL TO:

Gulf County
Board of County Commissioners
1000 Fifth Street
Port St. Joe, FL 32456

PO NUMBER **TERMS** **PROJECT**

Due on recpt

3.230 Depot Cre...

QUANTITY **DESCRIPTION** **RATE** **AMOUNT**

DEPOT CREEK DOCK
Hourly Services through 2/25/12

4	Project Manager I	110.00	440.00
4	Senior Autocad Technician	65.00	260.00
	No charge for services		-700.00

FILED FOR RECORD
REBECCA L. HARRIS
CLERK OF CIRCUIT COURT
2012 MAR 21 PM 12:49

THANK YOU! Please remit to our Port St. Joe office

TOTAL \$0.00



Invoice

PREBLE-RISH INC

CONSULTING ENGINEER & SURVEYORS
Blountstown • Crawfordville • Monticello • Panama City
Port St. Joe • Quincy • Santa Rosa Beach • Suwannee

DATE	INVOICE#
3/7/2012	66835

BILL TO:

Gulf County
Board of County Commissioners
1000 Fifth Street
Port St. Joe, FL 32456

COMMISSIONERS

PO NUMBER	TERMS	PROJECT
-----------	-------	---------

Due on receipt 3.210 Iola Road ...

QUANTITY	DESCRIPTION	RATE	AMOUNT
----------	-------------	------	--------

IOLA ROAD STRIPING
Hourly Services through 2/25/12

3.5	Project Manager I	110.00	385.00
	No charge for services		-385.00

FILED FOR RECORD
RECEIVED L. NORRIS
CLERK OF CIRCUIT COURT
MAR 21 2012 12:49 PM
PORT ST. JOE, FL 32456

THANK YOU! Please remit to our Port St. Joe office

TOTAL \$0.00

324 Marina Drive • Port St. Joe, FL 32456
850/227-7200 fax 850/227-7215

RECEIVED **40**
DATE 3/27/12 LL

UNITED WAY OF NORTHWEST FLORIDA

ANNUAL MEETING AND AWARDS CEREMONY

3.29.2012

FSUPC HOLLEY CENTER
4750 COLLEGIATE DRIVE
PANAMA CITY, FL 32405

Please RSVP by March 26th to 850.785.7521
or scromer@unitedwaynwfl.org

United Way
of Northwest Florida



Lynn Lanier

From: Huber, Marie L SAJ [Marie.L.Huber@usace.army.mil]
Sent: Thursday, March 08, 2012 10:13 AM
To: 'Tom Odom'; edward.cole@akerman.com; shall@forestinvest.com
Cc: Bersok, Connie; Rach, Timothy; Joslyn, Andrew; Griffin, Jon M SAJ; Mary_Mittiga@fws.gov; 'Hoehn, Ted'; ted_martin@fws.gov; Hambrick, Gordon A SAJ; 'Julian Gotreaux'; 'Duncan Cairns'; pritchett.davida@epamail.epa.gov; Hughes, Eric H SAJ; 'Martin Jacobson'; dshaw@baycountyfl.gov; Keith.McCarron@thearpc.com; boccc@gulfcounty-fl.gov; Tauxe, Vicki
Subject: RE: 2nd Notice of Intent/Draft Permit for Bear Creek Mitigation Bank

Good Morning All,

Mike Nowicki has retired and Bear Creek has come to me for review. I've looked at the Corps' file for Bear Creek and it appears as though no action or correspondence has occurred on this project since the public notice in August of 2009. Comments from USFWS and FFWCC were forwarded in October 2009. No draft mitigation banking instrument has been submitted as part of the file.

If I am missing something that should be in the file from the last several years, please let me know as soon as possible. If the last action on this project review was the public notice, and submittal of comments, the Federal process is still in its initial stages and the applicant must submit a draft banking instrument for the Corps and the Federal IRT (Interagency Review Team) to proceed.

In addition, please be advised that a Federal banking instrument, if authorized, may differ substantially from the tentatively approved State banking instrument with regard to restoration and monitoring requirements, financial assurances, site protection, credit schedule, phasing, service area, etc. Please contact me should you have any questions and to let me know if and when a draft banking instrument will be submitted to the Corps for review.

Sincerely,

Marie Huber
 U.S. Army Corps of Engineers
 Jacksonville District
 701 San Marco Blvd, RM 372
 Jacksonville, FL 32207-8175
 904-232-1683

FILED
 FEDERAL BUREAU OF INVESTIGATION
 JACKSONVILLE DISTRICT
 2012 MAR 21 PM 12:49

-----Original Message-----

From: Tauxe, Vicki [mailto:Vicki.Tauxe@dep.state.fl.us]
Sent: Tuesday, March 06, 2012 9:03 AM
To: 'Tom Odom'; edward.cole@akerman.com; shall@forestinvest.com
Cc: Bersok, Connie; Rach, Timothy; Joslyn, Andrew; Huber, Marie L SAJ; Griffin, Jon M SAJ; Mary_Mittiga@fws.gov; 'Hoehn, Ted'; ted_martin@fws.gov; Hambrick, Gordon A SAJ; 'Julian Gotreaux'; 'Duncan Cairns'; pritchett.davida@epamail.epa.gov; Hughes, Eric H SAJ; 'Martin Jacobson'; dshaw@baycountyfl.gov; Keith.McCarron@thearpc.com; boccc@gulfcounty-fl.gov
Subject: 2nd Notice of Intent/Draft Permit for Bear Creek Mitigation Bank

The attached Notice of Intent to Issue and Draft Permit for Bear Creek Mitigation Bank (#294280-001) is a revision of the Intent that was e-mailed on October 25, 2011. The service area was altered to include the Deer Point Lake Protection Zone and extend to Port St. Joe,

and the new map, in color, is also attached. If you are unable to open or read the attachments, please call me at the number below, and I will get you a copy. Please feel free to distribute to interested staff or other parties, and let me know if you'd like to be removed from the list. **43**

Victoria K. Tauxe

Department of Environmental Protection

Mitigation Section MS 2500

2600 Blair Stone Rd

Tallahassee, FL 32399-2400

850-245-8492

Please take a few minutes to share your comments on the service you received from the department by clicking on this link DEP Customer Survey
<<http://survey.dep.state.fl.us/?refemail=Vicki.Tauxe@dep.state.fl.us>> .

Lynn Lanier

From: U.S. Census Bureau [census@subscriptions.census.gov]
Sent: Monday, March 05, 2012 3:56 PM
To: bocc@gulfcountry-fl.gov
Subject: Status of the American Community Survey
Attachments: U.S.ChamberandICSCLetters.pdf

As a valued stakeholder to the Census Bureau, we want to keep you informed about current events pertaining to the American Community Survey (ACS).

Census Bureau Director Dr. Robert Groves will testify on Tuesday, March 6 before a U.S. House of Representatives subcommittee with an update on reforms underway at the Census Bureau to make the agency more efficient and effective, and to report on the status of the American Community Survey (ACS). Over the past two years, the Census Bureau has initiated organizational changes designed to improve its ability to supply the country with credible and cost-efficient economic and social statistics. We plan to use the ACS as the chief test-bed for 2020 Census systems development.

The Director will provide an update on Census Bureau reforms, a comprehensive programmatic review of the ACS, and report on the Bureau's findings regarding proposals to make the ACS a voluntary survey.

For more information, please take a look at Dr. Groves' blog post *How America Knows How It's Doing* at:

<http://directorsblog.blogs.census.gov/>

See all the Hearing documents/testimonies on the U.S. House Web site at:

http://oversight.house.gov/index.php?option=com_content&view=article&id=1608%3A3-6-2012-qthe-pros-and-cons-of-making-the-census-bureaus-american-community-survey-voluntaryq&catid=35&Itemid=40

Direct link to Dr. Groves' Testimony here: http://oversight.house.gov/images/stories/Testimony/3-6-12_Census_Groves.pdf

And, see the attached letters from the U.S. Chamber of Commerce and The International Council of Shopping Centers (ICSC).

- [U.S.ChamberandICSCLetters.pdf](#)

FILED FOR REPORT
 OFFICE OF THE CLERK
 U.S. HOUSE OF REPRESENTATIVES
 2012 MAR 21 PM 12:49



Questions? [Contact Us](#)

CHAMBER OF COMMERCE
OF THE
UNITED STATES OF AMERICA

R. BRUCE JOSTEN
EXECUTIVE VICE PRESIDENT
GOVERNMENT AFFAIRS

1615 H STREET, N.W.
WASHINGTON, D.C. 20062-2000
202/463-5310

February 24, 2012

Ms. Jennifer Jessup
Departmental Paperwork Clearance Officer
Department of Commerce
14th and Constitution Avenue, NW
Room 6616
Washington, DC 20230

Re: The American Community Survey 2013 Content Changes and Internet Response Mode

Dear Ms. Jessup,

The U.S. Chamber of Commerce, the world's largest business federation representing the interests of more than three million businesses and organizations of every size, sector and region, is pleased to submit these comments regarding the proposed American Community Survey (ACS) 2013 content changes and possible Internet response options.

As you know, a wide spectrum of economic sectors in the United States -- including many U.S. Chamber members in the retail and service industry (e.g., coffee shops; dry cleaners; banks; restaurants); broadcast, print and electronic communications; housing; transportation; housing and mortgage banking; and marketing -- use data from the decennial census and the related American Community Survey.

The ACS data points are vital for monitoring trends in the economic, social, and demographic landscape at a local level. Understanding these trends allows users of the ACS data to make informed decisions regarding strategic development opportunities that strengthen our communities, provide for the efficient and effective delivery of goods and services, create jobs, and ultimately drive economic growth.

The U.S. Chamber has reviewed the questions sponsored by the Federal Communications Commission on computer and Internet usage, and strongly supports their inclusion on the 2013 ACS questionnaires. Chamber members have witnessed the growth in Internet shopping in the retail sector among individuals and businesses, and feel that analyzing these trends down to the local level can help small businesses tailor their marketing to a focused group of consumers.

Additionally, we believe that small and medium-sized business will welcome the possibility to respond to the survey online, as many have suggested that this could streamline the process of responding -- and may also increase the response rate for the sample size thus eliminating costly follow-up.

The Chamber appreciates the opportunity to comment on the proposed American Community Survey 2013 content changes and possible Internet response options, and looks forward to implementing these improvements to ensure that the American Community Survey continues to bring us the type of demographic data that businesses of all sizes have come to rely on for planning and expanding.

Sincerely,

A handwritten signature in black ink, appearing to read "R. Bruce Josten". The signature is fluid and cursive, with the first name "R." and last name "Josten" being the most legible parts.

R. Bruce Josten

OFFICERS

Chairman

- L. PETER SHARPE, Toronto, ON

President

- MICHAEL P. KERCHEVAL, New York, NY

Vice President, Eastern Division

- BRAD M. HUTENSKY, Hartford, CT

Vice President, Central Division

- ELIZABETH I. HOLLAND, Chicago, IL

Vice President, Western Division

- DONALD PROVOST, Greenwood Village, CO

Vice President, Southern Division

- TERRY S. BROWN, Columbia, SC

Vice President, Canadian Division

- KIM D. MCINNES, Toronto, ON

Secretary-Treasurer

- KIERAN P. QUINN, Atlanta, GA

BOARD OF TRUSTEES

- ◊ DREW ALEXANDER, Houston, TX
- ◊ RON A. ALTOON, CDP, Los Angeles, CA
- ◊ ALBERT J. AUER, Newport Beach, CA
- ◊ JAMES BERSANI, Columbus, OH
- ◊ RALPH BIERNBAUM, Palm Beach, FL
- ◊ J. LORNE BRAITHWAITE, Thornhill, ON
- ◊ EDUARDO BROSS, Mexico City, Mexico
- ◊ JOHN L. BUCKSBAUM, SCSM, Chicago, IL
- ◊ MATTHEW BUCKSBAUM, Chicago, IL
- ◊ JAMES R. BULLOCK, CSM, Campbellville, ON
- ◊ MARCELO B. CARVALHO, CSM, CMO, Rio de Janeiro, Brazil
- ◊ MARTIN J. CLEARY, Sea Girt, NJ
- ◊ THOMAS J. CONNOLLY, SCLS, Deerfield, IL
- ◊ MICHAEL J. EDWARDS, Portland, OR
- ◊ MICHAEL ELLEMAN, Naples, FL
- ◊ MARY LOU FIALA, Jacksonville, FL
- ◊ KEMPER FREEMAN, JR., Bellevue, WA
- ◊ JAAP C. GILLIS, MBA, FRICS, Amsterdam, Netherlands
- ◊ MICHAEL P. GLIMCHER, Columbus, OH
- ◊ DONALD H. GRAHAM, JR., SCSM, Honolulu, HI
- ◊ MICHAEL J. GRAZIANO, New York, NY
- ◊ GORDON T. GREESY, JR., P.E., CDP, Lake Bluff, IL
- ◊ ANTHONY GROSSI, Santa Monica, CA
- ◊ LEE T. HANLEY, Phoenix, AZ
- ◊ DAVID HENRY, New Hyde Park, NY
- ◊ M.G. (BUDDY) HERRING, JR., Dallas, TX
- ◊ GAR HERRING, CDP, Dallas, TX
- ◊ DAVID E. HOCKER, SCSM, Owensboro, KY
- ◊ JOSEPH C. HOESLEY, Minneapolis, MN
- ◊ DANIEL B. HURWITZ, Beachwood, OH
- ◊ ADAM W. IFSHIN, Tarrytown, NY
- ◊ JOHN M. INGRAM, Woburn, MA
- ◊ STEPHEN R. KARP, Newton, MA
- ◊ JUDI A. LAPIN, Newport Beach, CA
- ◊ DAVID J. LARUE, Cleveland, OH
- ◊ CHARLES B. LEBOVITZ, Chattanooga, TN
- ◊ ALEX J. LELLI, JR., Romeville, IL
- ◊ DAVID P. LINDSEY, Seattle, WA
- ◊ REBECCA L. MACCARDINI, SCMD, Ann Arbor, MI
- ◊ JAMES E. MAURIN, SCSM, Covington, LA
- ◊ MICHAEL E. McCARTY, SCLS, Indianapolis, IN
- ◊ JAMES C. McCLUNE, CSM, Novi, MI
- ◊ KENNETH A. McINTYRE, JR., Morristown, NJ
- ◊ JOHN R. MORRISON, Toronto, ON
- ◊ KATHLEEN M. NELSON, Cedarhurst, NY
- ◊ SCOTT NELSON, Minneapolis, MN
- ◊ CHRISTOPHER J. NIEHAUS, New York, NY
- ◊ JEREMIAH W. O'CONNOR, JR., New York, NY
- ◊ BRUCE C. POMFROY, Gaithersburg, CA
- ◊ PUJA SECK-GUAN, Singapore
- ◊ GARY D. RAPPAPORT, SCMD, SCSM, SCLS, CDP, McLean, VA
- ◊ JOHN H. REININGA, JR., SCSM, San Francisco, CA
- ◊ VALERIE RICHARDSON, SCLS, Coppell, TX
- ◊ MALCOLM R. RILEY, Los Angeles, CA
- ◊ JOHN T. RIORGAN, Cabot, MA
- ◊ MICHAEL V. ROBERTS, Sr., St. Louis, MO
- ◊ MATTHEW E. RUBEL, Topeka, KS
- ◊ PETER SCHWARTZ, Los Angeles, CA
- ◊ MEL SEMBLER, St. Petersburg, FL
- ◊ SHAHRAM SHAMSAAEE, Dubai, UAE
- ◊ JOHN G. SMITH, CSM, Atlanta, GA
- ◊ RICHARD S. SOKOLOV, Youngstown, OH
- ◊ YAROMIR STEINER, Columbus, OH
- ◊ STEVEN B. TANGER, New York, NY
- ◊ WILLIAM TRAUBMAN, Bloomfield Hills, MI
- ◊ RENE TREMBLAY, Montreal, QC
- ◊ KENNETH L. TUCKER, Highland Park, IL
- ◊ STEVEN G. VITTORIO, Parsippany, NJ
- ◊ ROBERT L. WARD, Phoenix, AZ
- ◊ IAN D. WATT, Cape Town, South Africa
- ◊ NEIL R. WOOD, Toronto, ON
- ◊ C. DAVID ZOBA, San Francisco, CA
- ◊ FERNANDO ZOBEL DE AYALA, Makati City, Philippines

- Executive Committee
- ◊ Past Chairman



International Council of Shopping Centers, Inc.

555 12th Street, NW, Suite 660, Washington, DC 20004

+1 202 626 1400 • Fax: +1 202 626 1418 • www.icsc.org

May 4, 2011

Ms. Diana Hynek
 Departmental Paperwork Clearance Officer
 U.S. Department of Commerce
 1401 Constitution Ave., NW
 Washington, DC 20230

Submitted via electronic mail to dhynek@doc.gov

Re: File Reference Doc. 2011-5269
 Comment Request: The American Community Survey

Dear Ms. Hynek,

The International Council of Shopping Centers (ICSC) welcomes the opportunity to respond to the request for comments from the U.S. Census Bureau regarding the continuation and possible enhancement of the American Community Survey (ACS).

Founded in 1957, ICSC is the global trade association of the shopping center industry. Its 55,000 members in the U.S., Canada and more than 90 other countries include shopping center owners, developers, managers, marketing specialists, investors, lenders, retailers and other professionals as well as academics and public officials. In the United States there are more than 106,000 shopping centers which employ slightly more than nine percent of the total U.S. workforce.

In the context of the ACS, ICSC represents thousands of individuals, corporations and organizations that make use of these data on a regular basis. As a representative of the industry, ICSC recognizes the importance of these data for a range of business decisions. The ACS data are absolutely vital for monitoring trends in the economic, social and demographic landscape at a local level. Understanding these trends allows users of the data to make informed decisions regarding strategic development opportunities that strengthen our communities, provide for the efficient and effective delivery of goods and services, create jobs and ultimately drive economic growth.


In the retail and commercial real estate industries, ACS data guide decisions on where to build commercial facilities and open new stores, and subsequently evaluate their performance. These are high stakes decisions with lasting consequences for the companies making them, and for the communities involved. ACS data drive the allocation of private-sector investments that determine which communities are in need of infrastructure development and how the resulting jobs will be distributed. With so much on the line, the data need to be of a quality that only full funding can sustain.

ICSC understands that the ACS is a federal survey that collects information required for federal programs. Although these data are not collected for the private sector, businesses in nearly all industries put this inimitable information to productive use and local economic development organizations use these same data in understanding its community's needs and potential. Therefore, in assessing the value of a program such as the ACS, one needs to consider the immeasurable contributions this data collection program makes to the efficient operation of both large and small companies as well as local economic development initiatives.

While, the business sector has some impressive information resources of its own, we cannot come close to replacing the quality of the short form census counts or the rich neighborhood-level detail that the ACS is now providing. Further, the private sector's internal information resources tend to be proprietary, limiting their use to those who own, or can purchase access to them. In contrast, Census data are available to all, and thus play a key role in the establishment and growth of small business.

In summary, the ACS is especially valued by businesses for their ability to provide accurate information at the neighborhood level. And it is this ability that depends on funding levels proposed by the Census Bureau. To continue the widespread benefits achieved by the businesses use of ACS data, ICSC strongly supports their continued funding.

Sincerely,



Betsy R. Laird
Senior Staff Vice President
Office of Global Public Policy
International Council of Shopping Centers